

Inspection cameras




SeeSnake® micro™ inspection camera

The SeeSnake[®] micro[™] inspection camera makes it easier for you to perform visual inspections in hard to reach areas such as wall cavities, ductwork, utility boxes and hundreds of other dark, hidden spaces.

The unit is equipped as standard with a semi-flexible 90cm cable with a 9,5 or 17 mm imager head and can be extended to 9 metres and is water-resistant to 3 metres.

A hook or magnet for retrieving objects can be fitted to the imager head, or alternatively a mirror for inspecting from a different angle is also available.

Ideal small, lightweight inspection tool and **time saver** for the professional in general construction work, plumbing & HVAC work, repair and maintenance work, automotive work, to name but a few.









RIDGID® microEXPLORER™ inspection camera

The microEXPLORER™ allows you to offer more services and provides you with the tools you need to detect and diagnose the unreachable. The unit is equipped as standard with a semi-flexible 90 cm cable with a 17mm Automatic Self-Levelling (UP-IS-

UP) imager head, extensions available up to 9 metre distance and water-resistant up to 3 metre.

Ideal small, lightweight inspection tool, is a true **time** saver with image and audio storage.











Inspection cameras

The RIDGID® Inspection camera range is the latest addition in our product portfolio that helps Build Your Reputation.

Developed with tried and tested technology these cameras deliver an impressive performance allowing the professional to detect and diagnose the unreachable.

These units help in your daily tasks to find what lies beneath, behind and in-between. In short it does more in less time. It is easy to carry and operate and the unit should be part of every professional's tool box.







Specifications

SeeSnake® micro™

Product Specifications

Display – 2.4" Colour LCD (160 x 234 resolution)
Attachments – Mirror, hook and magnet
Camera size – 9,5 mm or 17 mm diameter

Lighting – 1 (9.5mm) or 2 (17mm) adjustable LED's

Weight – 0.5 kg

Power Source – 4 AA batteries

Waterproof — Camera and cable to 3 metres depth (when properly assembled)

Cable reach — extensions 90cm or 180cm (extendable up to 9 meter) $\,$

Standard equipment includes:

Tool with 90 cm cable and 17mm imager head (Cat n° 31118)

or with 9,5mm Imager head (Cat n° 31123) 4 AA batteries

Video-out cable

Carrying case

Three attachments - Mirror, hook and magnet

Product Specifications

Display – 3.5" Colour LCD (320 x 240 resolution)

Attachments - Mirror, hook and magnet

Camera size - 9,5 mm or 17 mm diameter

Lighting - 4 adjustable LED's

Weight - 0,8kg

Power source – rechargeable Li-lon battery (capacity 4 hours) Waterproof – Camera and cable to 3 metres depth (when properly assembled)

microEXPLORER™

Cable reach — extensions 90cm or 180cm (extendable up to 9 meter) $\,$

Standard Equipment (Cat n° 30063) includes:

Tool with 90 cm cable and 17mm imager head UP-IS-UP

Li-Ion battery & charger; USB cable

Cord organizer

Carrying case

Three attachments - Mirror, hook and magnet

Ordering Information

Catalog n°	Description	SeeSnake® micro™	microEXPLORER™
30063	Tool with 17mm Imager head		Χ
31118	Tool with 17mm Imager head	X	
31123	Tool with 9,5mm Imager head	Х	
31128	90cm Cable Extension	Х	Χ
31133	180cm Cable Extension	Х	Χ
30083	Repl. Imager Head 17mm UP-IS-UP + cable		Χ
26663	Repl. Imager Head 17mm + cable	Х	
30068	Repl. Imager Head 9,5mm + cable	Х	Χ*
26668	Mirror, Hook, Magnet pack 17mm	Х	
30203	Mirror, Hook, Magnet pack 17mm		Х
30223	Mirror, Hook, Magnet pack 9,5mm	X	Χ

^{*} No UP-IS-UP capability with 9,5mm imager head installed

